

2011

**Montana
Youth Risk Behavior
Survey**

American Indian Students
On or Near a Reservation

☞ 2011 Frequency Distributions
☞ 1999-2011 Trend Data

Montana Office of Public Instruction
Health Enhancement and Safety Division
June 2011



Montana
Office of Public Instruction
Denise Juneau, State Superintendent

opi.mt.gov

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

The following frequency distributions are based upon surveys with 720 high school American Indian students on or near a reservation in Montana during February of 2011. Frequency distributions may not total 720 due to nonresponse and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<u>Count</u>	<u>Percent</u>
a. 12 years old or younger	0	0.0%
b. 13 years old	1	0.1%
c. 14 years old	78	10.8%
d. 15 years old	165	22.9%
e. 16 years old	167	23.2%
f. 17 years old	166	23.1%
g. 18 years old or older	142	19.7%
Total	719	100.0%

<i>Q-2. What is your sex?</i>	<u>Count</u>	<u>Percent</u>
a. Female	346	48.3%
b. Male	370	51.7%
Total	716	100.0%

<i>Q-3. In what grade are you?</i>	<u>Count</u>	<u>Percent</u>
a. 9th grade	195	27.6%
b. 10th grade	177	25.1%
c. 11th grade	142	20.1%
d. 12th grade	187	26.5%
e. Ungraded or other grade	5	0.7%
Total	706	100.0%

<i>Q-4. Are you Hispanic or Latino?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	52	7.4%
b. No	652	92.6%
Total	704	100.0%

<i>Q-5. What is your race?</i>	<u>Count</u>	<u>Percent</u>
a. American Indian or Alaskan Native	720	100.0%
b. Asian	3	0.4%
c. Black or African American	14	1.9%
d. Native Hawaiian or Other Pacific Islander	4	0.6%
e. White	77	10.7%
(More than one response allowed) Total	818	113.6%

<i>Q-6. How tall are you without your shoes on?</i>	<u>Count</u>	<u>Percent</u>
a. Less than 4 ft	2	0.4%
b. 4ft to 4 ft, 6 in	2	0.4%
c. 4ft, 7in to 5 ft	7	1.4%
d. 5ft, 1in to 5ft, 6in	189	37.2%
e. Over 5ft, 6in	308	60.6%
Total	508	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

Q-7. *How much do you weigh without your shoes on?*

	<u>Count</u>	<u>Percent</u>
a. Less than 90 lbs	2	0.3%
b. 90-99 lbs	7	1.0%
c. 100-109 lbs	24	3.5%
d. 110-119lbs	41	6.0%
e. 120-129 lbs	73	10.6%
f. 130-139 lbs	92	13.4%
g. 140 lbs +	450	65.3%
Total	689	100.0%

Q-8. *When you rode a bicycle during the past 12 months, how often did you wear a helmet?*

	<u>Count</u>	<u>Percent</u>
a. I did not ride a bicycle during the past 12 months	331	46.0%
b. Never wore a helmet	332	46.2%
c. Rarely wore a helmet	28	3.9%
d. Sometimes wore a helmet	11	1.5%
e. Most of the time wore a helmet	5	0.7%
f. Always wore a helmet	12	1.7%
Total	719	100.0%

Q-9. *How often do you wear your seat belt when riding in a car driven by someone else?*

	<u>Count</u>	<u>Percent</u>
a. Never	25	3.5%
b. Rarely	87	12.2%
c. Sometimes	200	28.0%
d. Most of the time	251	35.2%
e. Always	151	21.1%
Total	714	100.0%

Q-10. *How often do you wear a seat belt when driving a car?*

	<u>Count</u>	<u>Percent</u>
a. Never	61	8.5%
b. Rarely	73	10.2%
c. Sometimes	157	22.0%
d. Most of the time	164	23.0%
e. Always	259	36.3%
Total	714	100.0%

Q-11. *During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?*

	<u>Count</u>	<u>Percent</u>
a. 0 times	445	62.6%
b. 1 time	87	12.2%
c. 2 or 3 times	95	13.4%
d. 4 or 5 times	37	5.2%
e. 6 or more times	47	6.6%
Total	711	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	605	84.3%
b. 1 time	50	7.0%
c. 2 or 3 times	40	5.6%
d. 4 or 5 times	11	1.5%
e. 6 or more times	12	1.7%
Total	718	100.0%

<i>Q-13. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	346	48.7%
b. 1 or 2 days	128	18.0%
c. 3 to 5 days	67	9.4%
d. 6 to 9 days	47	6.6%
e. 10 to 19 days	40	5.6%
f. 20 to 29 days	26	3.7%
g. All 30 days	56	7.9%
Total	710	100.0%

<i>Q-14. During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	382	53.1%
b. 1 or 2 days	131	18.2%
c. 3 to 5 days	81	11.3%
d. 6 to 9 days	38	5.3%
e. 10 to 19 days	45	6.3%
f. 20 to 29 days	18	2.5%
g. All 30 days	24	3.3%
Total	719	100.0%

<i>Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	606	84.8%
b. 1 day	25	3.5%
c. 2 or 3 days	32	4.5%
d. 4 or 5 days	13	1.8%
e. 6 or more days	39	5.5%
Total	715	100.0%

<i>Q-16. During the past 30 days, on how many days did you carry a gun?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	643	90.2%
b. 1 day	33	4.6%
c. 2 or 3 days	22	3.1%
d. 4 or 5 days	6	0.8%
e. 6 or more days	9	1.3%
Total	713	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-17. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	680	94.4%
b. 1 day	18	2.5%
c. 2 or 3 days	8	1.1%
d. 4 or 5 days	4	0.6%
e. 6 or more days	10	1.4%
Total	720	100.0%

<i>Q-18. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	649	90.9%
b. 1 day	33	4.6%
c. 2 or 3 days	18	2.5%
d. 4 or 5 days	4	0.6%
e. 6 or more days	10	1.4%
Total	714	100.0%

<i>Q-19. During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	521	74.9%
b. 1 time	81	11.6%
c. 2 or 3 times	55	7.9%
d. 4 or 5 times	18	2.6%
e. 6 or 7 times	6	0.9%
f. 8 or 9 times	8	1.1%
g. 10 or 11 times	0	0.0%
h. 12 or more times	7	1.0%
Total	696	100.0%

<i>Q-20. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	679	94.7%
b. 1 time	23	3.2%
c. 2 or 3 times	6	0.8%
d. 4 or 5 times	1	0.1%
e. 6 or 7 times	3	0.4%
f. 8 or 9 times	0	0.0%
g. 10 or 11 times	1	0.1%
h. 12 or more times	4	0.6%
Total	717	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-21. During the past 12 months, how many times were you in a physical fight?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	455	63.8%
b. 1 time	110	15.4%
c. 2 or 3 times	86	12.1%
d. 4 or 5 times	34	4.8%
e. 6 or 7 times	7	1.0%
f. 8 or 9 times	6	0.8%
g. 10 or 11 times	3	0.4%
h. 12 or more times	12	1.7%
Total	713	100.0%

<i>Q-22. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	685	95.4%
b. 1 time	21	2.9%
c. 2 or 3 times	8	1.1%
d. 4 or 5 times	2	0.3%
e. 6 or more times	2	0.3%
Total	718	100.0%

<i>Q-23. During the past 12 months, how many times were you in a physical fight on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	624	86.9%
b. 1 time	58	8.1%
c. 2 or 3 times	23	3.2%
d. 4 or 5 times	6	0.8%
e. 6 or 7 times	2	0.3%
f. 8 or 9 times	2	0.3%
g. 10 or 11 times	0	0.0%
h. 12 or more times	3	0.4%
Total	718	100.0%

<i>Q-24. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	89	12.5%
b. No	623	87.5%
Total	712	100.0%

<i>Q-25. Have you ever been physically forced to have sexual intercourse when you did not want to?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	68	9.5%
b. No	646	90.5%
Total	714	100.0%

<i>Q-26. During the past 12 months, have you ever been bullied on school property?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	149	20.9%
b. No	565	79.1%
Total	714	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

Q-27. <i>During the past 12 months, have you ever been electronically bullied? (Include being bullied through e-mail, chat rooms, instant messaging, Web sites, or texting.)</i>	<u>Count</u>	<u>Percent</u>
a. Yes	126	17.6%
b. No	588	82.4%
Total	714	100.0%
Q-28. <i>During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	232	32.9%
b. No	474	67.1%
Total	706	100.0%
Q-29. <i>During the past 12 months, did you ever seriously consider attempting suicide?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	147	20.6%
b. No	568	79.4%
Total	715	100.0%
Q-30. <i>During the past 12 months, did you make a plan about how you would attempt suicide?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	109	15.3%
b. No	604	84.7%
Total	713	100.0%
Q-31. <i>During the past 12 months, how many times did you actually attempt suicide?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	581	83.8%
b. 1 time	80	11.5%
c. 2 or 3 times	18	2.6%
d. 4 or 5 times	8	1.2%
e. 6 or more times	6	0.9%
Total	693	100.0%
Q-32. <i>If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?</i>	<u>Count</u>	<u>Percent</u>
a. I did not attempt suicide	566	79.4%
b. Yes	35	4.9%
c. No	112	15.7%
Total	713	100.0%
Q-33. <i>Have you ever tried cigarette smoking, even one or two puffs?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	524	74.1%
b. No	183	25.9%
Total	707	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-34. How old were you when you smoked a whole cigarette for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never smoked a whole cigarette	251	35.1%
b. 8 years old or younger	69	9.7%
c. 9 or 10 years old	47	6.6%
d. 11 or 12 years old	96	13.4%
e. 13 or 14 years old	147	20.6%
f. 15 or 16 years old	75	10.5%
g. 17 years old or older	30	4.2%
Total	715	100.0%

<i>Q-35. During the past 30 days, on how many days did you smoke cigarettes?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	427	59.5%
b. 1 or 2 days	73	10.2%
c. 3 to 5 days	42	5.8%
d. 6 to 9 days	26	3.6%
e. 10 to 19 days	44	6.1%
f. 20 to 29 days	36	5.0%
g. All 30 days	70	9.7%
Total	718	100.0%

<i>Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	423	59.3%
b. Less than 1 cigarette per day	79	11.1%
c. 1 cigarette per day	49	6.9%
d. 2 to 5 cigarettes per day	127	17.8%
e. 6 to 10 cigarettes per day	26	3.6%
f. 11 to 20 cigarettes per day	2	0.3%
g. More than 20 cigarettes per day	7	1.0%
Total	713	100.0%

<i>Q-37. During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	428	60.5%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	82	11.6%
c. I bought them from a vending machine	5	0.7%
d. I gave someone else money to buy them for me	69	9.7%
e. I borrowed (or bummed) them from someone else	55	7.8%
f. A person 18 years old or older gave them to me	15	2.1%
g. I took them from a store or family member	10	1.4%
h. I got them some other way	44	6.2%
Total	708	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-38. During the past 30 days, on how many days did you smoke cigarettes on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	611	85.8%
b. 1 or 2 days	46	6.5%
c. 3 to 5 days	17	2.4%
d. 6 to 9 days	8	1.1%
e. 10 to 19 days	11	1.5%
f. 20 to 29 days	8	1.1%
g. All 30 days	11	1.5%
Total	712	100.0%

<i>Q-39. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	180	25.6%
b. No	523	74.4%
Total	703	100.0%

<i>Q-40. During the past 12 months, did you ever try to quit smoking cigarettes?</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke during the past 12 months	397	56.9%
b. Yes	203	29.1%
c. No	98	14.0%
Total	698	100.0%

<i>Q-41. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	518	72.5%
b. 1 or 2 days	56	7.8%
c. 3 to 5 days	31	4.3%
d. 6 to 9 days	17	2.4%
e. 10 to 19 days	18	2.5%
f. 20 to 29 days	26	3.6%
g. All 30 days	48	6.7%
Total	714	100.0%

<i>Q-42. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	586	82.3%
b. 1 or 2 days	34	4.8%
c. 3 to 5 days	23	3.2%
d. 6 to 9 days	10	1.4%
e. 10 to 19 days	21	2.9%
f. 20 to 29 days	14	2.0%
g. All 30 days	24	3.4%
Total	712	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-43. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	621	88.0%
b. 1 or 2 days	48	6.8%
c. 3 to 5 days	12	1.7%
d. 6 to 9 days	9	1.3%
e. 10 to 19 days	2	0.3%
f. 20 to 29 days	3	0.4%
g. All 30 days	11	1.6%
Total	706	100.0%

<i>Q-44. During your life, on how many days have you had at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	211	30.0%
b. 1 or 2 days	104	14.8%
c. 3 to 9 days	124	17.6%
d. 10 to 19 days	76	10.8%
e. 20 to 39 days	64	9.1%
f. 40 to 99 days	54	7.7%
g. 100 or more days	71	10.1%
Total	704	100.0%

<i>Q-45. How old were you when you had your first drink of alcohol other than a few sips?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had a drink of alcohol other than a few sips	182	25.8%
b. 8 years old or younger	48	6.8%
c. 9 or 10 years old	44	6.2%
d. 11 or 12 years old	80	11.3%
e. 13 or 14 years old	189	26.8%
f. 15 or 16 years old	140	19.8%
g. 17 years old or older	23	3.3%
Total	706	100.0%

<i>Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	423	60.1%
b. 1 or 2 days	142	20.2%
c. 3 to 5 days	78	11.1%
d. 6 to 9 days	30	4.3%
e. 10 to 19 days	20	2.8%
f. 20 to 29 days	5	0.7%
g. All 30 days	6	0.9%
Total	704	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-47. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	490	69.0%
b. 1 day	77	10.8%
c. 2 days	60	8.5%
d. 3 to 5 days	46	6.5%
e. 6 to 9 days	22	3.1%
f. 10 to 19 days	8	1.1%
g. 20 or more days	7	1.0%
Total	710	100.0%

<i>Q-48. During the past 30 days, how did you usually get the alcohol you drank?</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink alcohol during the past 30 days	419	59.1%
b. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	20	2.8%
c. I bought it at a restaurant, bar, or club	8	1.1%
d. I bought it at a public event such as a concert or sporting event	2	0.3%
e. I gave someone else money to buy it for me	119	16.8%
f. Someone gave it to me	72	10.2%
g. I took it from a store or family member	10	1.4%
h. I got it some other way	59	8.3%
Total	709	100.0%

<i>Q-49. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	659	93.5%
b. 1 or 2 days	24	3.4%
c. 3 to 5 days	10	1.4%
d. 6 to 9 days	5	0.7%
e. 10 to 19 days	1	0.1%
f. 20 to 29 days	0	0.0%
g. All 30 days	6	0.9%
Total	705	100.0%

<i>Q-50. During your life, how many times have you used marijuana?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	226	31.9%
b. 1 or 2 times	68	9.6%
c. 3 to 9 times	91	12.9%
d. 10 to 19 times	48	6.8%
e. 20 to 39 times	57	8.1%
f. 40 to 99 times	43	6.1%
g. 100 or more times	175	24.7%
Total	708	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-51. How old were you when you tried marijuana for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never tried marijuana	213	30.0%
b. 8 years old or younger	51	7.2%
c. 9 or 10 years old	57	8.0%
d. 11 or 12 years old	112	15.8%
e. 13 or 14 years old	165	23.3%
f. 15 or 16 years old	91	12.8%
g. 17 years old or older	20	2.8%
Total	709	100.0%

<i>Q-52. During the past 30 days, how many times did you use marijuana?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	400	56.8%
b. 1 or 2 times	74	10.5%
c. 3 to 9 times	66	9.4%
d. 10 to 19 times	40	5.7%
e. 20 to 39 times	33	4.7%
f. 40 or more times	91	12.9%
Total	704	100.0%

<i>Q-53. During the past 30 days, how many times did you use marijuana on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	607	85.7%
b. 1 or 2 times	51	7.2%
c. 3 to 9 times	25	3.5%
d. 10 to 19 times	12	1.7%
e. 20 to 39 times	4	0.6%
f. 40 or more times	9	1.3%
Total	708	100.0%

<i>Q-54. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	642	90.2%
b. 1 or 2 times	36	5.1%
c. 3 to 9 times	16	2.2%
d. 10 to 19 times	7	1.0%
e. 20 to 39 times	5	0.7%
f. 40 or more times	6	0.8%
Total	712	100.0%

<i>Q-55. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	680	96.0%
b. 1 or 2 times	16	2.3%
c. 3 to 9 times	5	0.7%
d. 10 to 19 times	1	0.1%
e. 20 to 39 times	0	0.0%
f. 40 or more times	6	0.8%
Total	708	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-56. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	537	76.3%
b. 1 or 2 times	73	10.4%
c. 3 to 9 times	35	5.0%
d. 10 to 19 times	32	4.5%
e. 20 to 39 times	13	1.8%
f. 40 or more times	14	2.0%
Total	704	100.0%

<i>Q-57. During your life, how many times have you used heroin (also called smack, junk, or China White)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	686	96.8%
b. 1 or 2 times	8	1.1%
c. 3 to 9 times	4	0.6%
d. 10 to 19 times	5	0.7%
e. 20 to 39 times	4	0.6%
f. 40 or more times	2	0.3%
Total	709	100.0%

<i>Q-58. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	662	94.8%
b. 1 or 2 times	13	1.9%
c. 3 to 9 times	12	1.7%
d. 10 to 19 times	5	0.7%
e. 20 to 39 times	2	0.3%
f. 40 or more times	4	0.6%
Total	698	100.0%

<i>Q-59. During your life, how many times have you used ecstasy (also called MDMA)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	646	91.0%
b. 1 or 2 times	36	5.1%
c. 3 to 9 times	15	2.1%
d. 10 to 19 times	6	0.8%
e. 20 to 39 times	2	0.3%
f. 40 or more times	5	0.7%
Total	710	100.0%

<i>Q-60. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	682	96.3%
b. 1 or 2 times	11	1.6%
c. 3 to 9 times	5	0.7%
d. 10 to 19 times	2	0.3%
e. 20 to 39 times	3	0.4%
f. 40 or more times	5	0.7%
Total	708	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-61. During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	547	77.7%
b. 1 or 2 times	54	7.7%
c. 3 to 9 times	36	5.1%
d. 10 to 19 times	25	3.6%
e. 20 to 39 times	7	1.0%
f. 40 or more times	35	5.0%
Total	704	100.0%

<i>Q-62. During your life, how many times have you used a needle to inject any illegal drug into your body?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	682	96.9%
b. 1 time	12	1.7%
c. 2 or more times	10	1.4%
Total	704	100.0%

<i>Q-63. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	201	28.6%
b. No	502	71.4%
Total	703	100.0%

<i>Q-64. Have you ever had sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	464	67.2%
b. No	226	32.8%
Total	690	100.0%

<i>Q-65. How old were you when you had sexual intercourse for the first time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	235	33.1%
b. 11 years old or younger	44	6.2%
c. 12 years old	37	5.2%
d. 13 years old	83	11.7%
e. 14 years old	126	17.8%
f. 15 years old	98	13.8%
g. 16 years old	59	8.3%
h. 17 years old or older	27	3.8%
Total	709	100.0%

<i>Q-66. During your life, with how many people have you had sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	243	34.7%
b. 1 person	111	15.8%
c. 2 people	79	11.3%
d. 3 people	76	10.8%
e. 4 people	47	6.7%
f. 5 people	40	5.7%
g. 6 or more people	105	15.0%
Total	701	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-67. During the past 3 months, with how many people did you have sexual intercourse?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	248	35.5%
b. I have had sexual intercourse, but not during the past 3 months	139	19.9%
c. 1 person	209	29.9%
d. 2 people	54	7.7%
e. 3 people	22	3.1%
f. 4 people	10	1.4%
g. 5 people	5	0.7%
h. 6 or more people	12	1.7%
Total	699	100.0%

<i>Q-68. Did you drink alcohol or use drugs before you had sexual intercourse the last time?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	230	32.8%
b. Yes	113	16.1%
c. No	358	51.1%
Total	701	100.0%

<i>Q-69. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	239	34.0%
b. Yes	286	40.7%
c. No	177	25.2%
Total	702	100.0%

<i>Q-70. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)</i>	<u>Count</u>	<u>Percent</u>
a. I have never had sexual intercourse	229	32.9%
b. No method was used to prevent pregnancy	80	11.5%
c. Birth control pills	49	7.0%
d. Condoms	231	33.2%
e. Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	44	6.3%
f. Withdrawal	20	2.9%
g. Some other method	13	1.9%
h. Not sure	30	4.3%
Total	696	100.0%

<i>Q-71. How do you describe your weight?</i>	<u>Count</u>	<u>Percent</u>
a. Very underweight	17	2.4%
b. Slightly underweight	59	8.4%
c. About the right weight	372	52.8%
d. Slightly overweight	212	30.1%
e. Very overweight	45	6.4%
Total	705	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

Q-72. Which of the following are you trying to do about your weight?	<u>Count</u>	<u>Percent</u>
a. Lose weight	362	51.3%
b. Gain weight	101	14.3%
c. Stay the same weight	129	18.3%
d. I am not trying to do anything about my weight	113	16.0%
Total	705	100.0%

Q-73. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	132	19.0%
b. No	562	81.0%
Total	694	100.0%

Q-74. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)	<u>Count</u>	<u>Percent</u>
a. Yes	35	5.0%
b. No	664	95.0%
Total	699	100.0%

Q-75. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	35	5.0%
b. No	665	95.0%
Total	700	100.0%

Q-76. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)	<u>Count</u>	<u>Percent</u>
a. I did not drink 100% fruit juice during the past 7 days	108	15.7%
b. 1 to 3 times during the past 7 days	267	38.8%
c. 4 to 6 times during the past 7 days	155	22.5%
d. 1 time per day	32	4.7%
e. 2 times per day	58	8.4%
f. 3 times per day	37	5.4%
g. 4 or more times per day	31	4.5%
Total	688	100.0%

Q-77. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)	<u>Count</u>	<u>Percent</u>
a. I did not eat fruit during the past 7 days	79	11.2%
b. 1 to 3 times during the past 7 days	282	39.8%
c. 4 to 6 times during the past 7 days	170	24.0%
d. 1 time per day	71	10.0%
e. 2 times per day	57	8.1%
f. 3 times per day	21	3.0%
g. 4 or more times per day	28	4.0%
Total	708	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-78. During the past 7 days, how many times did you eat green salad?</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat green salad during the past 7 days	229	32.5%
b. 1 to 3 times during the past 7 days	284	40.3%
c. 4 to 6 times during the past 7 days	105	14.9%
d. 1 time per day	58	8.2%
e. 2 times per day	15	2.1%
f. 3 times per day	4	0.6%
g. 4 or more times per day	9	1.3%
Total	704	100.0%

<i>Q-79. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat potatoes during the past 7 days	209	29.9%
b. 1 to 3 times during the past 7 days	344	49.3%
c. 4 to 6 times during the past 7 days	95	13.6%
d. 1 time per day	34	4.9%
e. 2 times per day	11	1.6%
f. 3 times per day	1	0.1%
g. 4 or more times per day	4	0.6%
Total	698	100.0%

<i>Q-80. During the past 7 days, how many times did you eat carrots?</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat carrots during the past 7 days	360	51.3%
b. 1 to 3 times during the past 7 days	237	33.8%
c. 4 to 6 times during the past 7 days	57	8.1%
d. 1 time per day	25	3.6%
e. 2 times per day	9	1.3%
f. 3 times per day	4	0.6%
g. 4 or more times per day	10	1.4%
Total	702	100.0%

<i>Q-81. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)</i>	<u>Count</u>	<u>Percent</u>
a. I did not eat other vegetables during the past 7 days	166	23.6%
b. 1 to 3 times during the past 7 days	308	43.9%
c. 4 to 6 times during the past 7 days	139	19.8%
d. 1 time per day	47	6.7%
e. 2 times per day	23	3.3%
f. 3 times per day	10	1.4%
g. 4 or more times per day	9	1.3%
Total	702	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-82. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink soda or pop during the past 7 days	96	13.8%
b. 1 to 3 times during the past 7 days	216	31.1%
c. 4 to 6 times during the past 7 days	158	22.8%
d. 1 time per day	65	9.4%
e. 2 times per day	79	11.4%
f. 3 times per day	40	5.8%
g. 4 or more times per day	40	5.8%
Total	694	100.0%

<i>Q-83. During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet energy drinks or sports drinks such as Gatorade or PowerAde).</i>	<u>Count</u>	<u>Percent</u>
a. I did not drink energy drinks during the past 7 days	383	54.9%
b. 1 to 3 times during the past 7 days	193	27.7%
c. 4 to 6 times during the past 7 days	54	7.7%
d. 1 time per day	25	3.6%
e. 2 times per day	19	2.7%
f. 3 times per day	13	1.9%
g. 4 or more times per day	11	1.6%
Total	698	100.0%

<i>Q-84. During the past 7 days, on how many days did you eat breakfast?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	82	11.8%
b. 1 day	64	9.2%
c. 2 days	69	10.0%
d. 3 days	78	11.3%
e. 4 days	68	9.8%
f. 5 days	82	11.8%
g. 6 days	45	6.5%
h. 7 days	204	29.5%
Total	692	100.0%

<i>Q-85. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	76	11.0%
b. 1 day	48	7.0%
c. 2 days	62	9.0%
d. 3 days	89	12.9%
e. 4 days	75	10.9%
f. 5 days	103	15.0%
g. 6 days	71	10.3%
h. 7 days	164	23.8%
Total	688	100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

Q-86. On an average school day, how many hours do you watch TV?	<u>Count</u>	<u>Percent</u>
a. I do not watch TV on an average school day	67	9.7%
b. Less than 1 hour per day	111	16.1%
c. 1 hour per day	113	16.4%
d. 2 hours per day	179	25.9%
e. 3 hours per day	108	15.6%
f. 4 hours per day	64	9.3%
g. 5 or more hours per day	49	7.1%
	Total	691
		100.0%

Q-87. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Include activities such as Xbox, PlayStation, Nintendo DS, iPod touch, Facebook, and the Internet.)	<u>Count</u>	<u>Percent</u>
a. I do not play video or computer games or use a computer for something that is not school work	121	17.6%
b. Less than 1 hour per day	153	22.3%
c. 1 hour per day	107	15.6%
d. 2 hours per day	115	16.8%
e. 3 hours per day	78	11.4%
f. 4 hours per day	46	6.7%
g. 5 or more hours per day	66	9.6%
	Total	686
		100.0%

Q-88. In an average week when you are in school, on how many days do you go to physical education (PE) classes?	<u>Count</u>	<u>Percent</u>
a. 0 days	303	44.2%
b. 1 day	24	3.5%
c. 2 days	26	3.8%
d. 3 days	32	4.7%
e. 4 days	22	3.2%
f. 5 days	279	40.7%
	Total	686
		100.0%

Q-89. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)	<u>Count</u>	<u>Percent</u>
a. 0 teams	226	33.1%
b. 1 team	185	27.1%
c. 2 teams	137	20.1%
d. 3 or more teams	134	19.6%
	Total	682
		100.0%

Q-90. Have you ever been taught about AIDS or HIV infection in school?	<u>Count</u>	<u>Percent</u>
a. Yes	560	82.0%
b. No	68	10.0%
c. Not sure	55	8.1%
	Total	683
		100.0%

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-91. Has a doctor or nurse ever told you that you have asthma?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	150	22.0%
b. No	490	72.0%
c. Not sure	41	6.0%
Total	681	100.0%

<i>Q-92. Do you still have asthma?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had asthma	407	58.9%
b. a. Yes	96	13.9%
c. b. No	117	16.9%
d. c. Not sure	71	10.3%
Total	691	100.0%

<i>Q-93. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	144	21.6%
b. No	524	78.4%
Total	668	100.0%

<i>Injury and Violence</i>	1999	2001	2003	2005	2007	2009	2011
Percentage of students who . . .							
Rode a bicycle and never or rarely wore a bicycle helmet during the past 12 months	96.6	93.6	95.1	96.9	95.9	93.1	92.8
Never or rarely wore a seat belt when riding in a car driven by someone else	34.5	30.0	29.5	27.8	25.7	21.9	15.7
Never or rarely wore a seat belt when driving a car		37.3	38.1	35.8	32.4	29.9	18.7
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	53.3	47.6	43.6	47.3	45.8	41.9	37.4
Drove a car when they had been drinking alcohol during the past 30 days	27.2	24.8	21.3	25.5	22.6	17.5	15.7
Texted or e-mailed while driving a car during the past 30 days							51.3
Talked on a cell phone while driving a car during the past 30 days							46.9
Carried a weapon such as a gun, knife, or club during the past 30 days	21.4	24.0	17.3	20.0	20.1	19.0	15.2
Carried a gun during the past 30 days	9.1	12.6	8.7	10.6	9.6	9.4	9.8
Carried a weapon on school property during the past 30 days	12.2	11.8	8.7	10.5	10.3	5.8	5.6
Did not go to school because they felt unsafe at school or on their way to or from school during the past 30 days	8.9	11.0	7.3	7.7	10.2	8.6	9.1
Had property such as their car, clothing, or books stolen or deliberately damaged on school property during the past 12 months			26.2	27.7	22.2	-	25.1
Had been threatened or injured with a weapon on school property during the past 12 months	9.1	11.8	6.8	9.8	7.8	5.5	5.3
Were in a physical fight during the past 12 months	43.9	41.1	40.8	43.9	42.2	45.8	36.2
Were injured in a physical fight that required medical treatment during the past 12 months	9.0	9.4	6.6	8.6	8.0	6.2	4.6
Were in a physical fight on school property during the past 12 months	14.9	17.0	15.2	16.1	16.8	17.1	13.1
Were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months	16.9	13.5	15.2	13.6	16.2	14.3	12.5
Have ever been physically forced to have sexual intercourse when they did not want to	14.6	11.1	8.8	12.8	11.4	11.3	9.5
Had been bullied on school property during the past 12 months						21.7	20.9
Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months						17.5	17.6

<i>Injury and Violence</i>	1999	2001	2003	2005	2007	2009	2011
Percentage of students who . . .							
Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	32.4	31.1	30.0	32.4	32.8	32.1	32.9
Seriously considered attempting suicide during the past 12 months	21.6	24.2	17.5	22.3	18.1	19.6	20.6
Made a plan about how they would attempt suicide during the past 12 months	18.2	20.1	14.0	18.9	17.6	16.6	15.3
Actually attempted suicide during the past 12 months	16.2	20.4	15.3	16.6	15.8	18.0	16.2
Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during the past 12 months	8.0	7.4	4.3	5.1	4.9	5.2	4.9

<i>Tobacco Use</i>	1999	2001	2003	2005	2007	2009	2011
Percentage of students who . . .							
Ever tried cigarette smoking	86.9	83.7	84.5	82.9	83.4	79.1	74.1
Smoked a cigarette before age 13	41.8	46.2	42.2	41.5	33.5	33.1	29.7
Smoked a cigarette on one or more of the past 30 days ("current")	53.4	51.5	52.1	52.2	47.9	44.1	40.5
Smoked cigarettes on 20 or more of the past 30 days ("frequent")	27.4	25.2	21.8	17.9	15.0	16.0	14.7
Among current smokers, smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	10.0	9.5	5.1	7.0	3.8	2.3	1.3
Usually got their cigarettes by buying them in a store or gas station during the past 30 days		13.9	10.7	13.6	10.4	9.0	11.6
Smoked cigarettes on school property during the past 30 days	22.8	24.4	18.6	20.5	18.5	14.4	14.2
Ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days ("regular")	41.2	34.2	33.0	30.4	29.6	26.5	25.6
Among current smokers, tried to quit smoking during the past 12 months		42.9	37.4	37.1	68.9	66.7	67.4
Used chewing tobacco, snuff, or dip during the past 30 days	21.9	26.3	20.8	28.8	25.8	22.7	27.5
Used chewing tobacco, snuff, or dip on school property during the past 30 days	16.0	18.7	16.0	21.0	18.7	14.2	17.7
Smoked cigars, cigarillos, or little cigars during the past 30 days	12.4	12.6	10.9	15.3	13.6	11.0	12.0

Alcohol and Other Drug Use	1999	2001	2003	2005	2007	2009	2011
Percentage of students who . . .							
Had at least one drink of alcohol during their life	83.6	77.2	77.7	83.1	78.6	76.0	70.0
Had first drink of alcohol before age 13	31.1	37.4	31.5	31.2	31.1	29.3	24.3
Had at least one drink of alcohol during the past 30 days ("current")	55.0	54.8	48.8	56.3	53.9	45.9	39.9
Had five or more drinks of alcohol in a row during the past 30 days ("binge drink")	47.8	47.0	42.7	44.9	45.7	38.3	31.0
Among current users of alcohol, usually got the alcohol they drank from someone who gave it to them during the past 30 days						25.8	10.2
Had at least one drink of alcohol on school property during the past 30 days	10.9	14.0	10.9	12.1	12.2	8.3	6.5
Used marijuana during their life	73.9	72.6	74.2	74.7	69.9	67.5	68.1
Tried marijuana before age 13	31.0	37.1	35.4	37.9	30.8	34.1	31.0
Used marijuana during the past 30 days ("current")	51.2	50.1	44.6	51.0	44.1	41.5	43.2
Used marijuana on school property during the past 30 days	16.8	20.5	15.9	15.9	15.9	11.0	14.3
Used any form of cocaine during their life	21.4	19.1	15.1	15.4	14.7	10.7	9.8
Used any form of cocaine during the past 30 days ("current")	10.2	11.4	6.1	6.6	6.4	4.2	4.0
Used inhalants during their life	24.2	20.0	21.3	23.5	24.9	29.2	23.7
Used heroin during their life	5.3	5.7	2.4	2.8	3.8	2.3	3.2
Used methamphetamines during their life	26.8	22.8	15.8	15.2	10.8	5.6	5.2
Used ecstasy during their life			8.0	6.9	7.4	9.7	9.0
Took steroid pills or shots without a doctor's prescription during their life	7.3	10.1	6.1	4.2	5.1	3.0	3.7
Have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription							22.3
Used a needle to inject any illegal drug into their body during their life	5.3	4.5	2.8	3.8	4.4	3.3	1.7
Were offered, sold, or given an illegal drug on school property during the past 12 months	36.6	35.7	32.4	30.5	26.6	25.3	28.6

<i>Sexual Behaviors</i>	1999	2001	2003	2005	2007	2009	2011
Percentage of students who . . .							
Ever had sexual intercourse	63.8	61.0	66.2	69.4	67.1	67.3	67.2
Had sexual intercourse before age 13	10.8	12.6	14.5	12.6	12.7	15.0	11.4
Had sexual intercourse with four or more people during their life	26.2	20.7	27.7	29.9	26.0	29.8	27.4
Had sexual intercourse during the past three months ("current")	41.5	37.5	43.5	47.9	45.9	47.8	44.6
Drank alcohol or used drugs before last sexual intercourse	42.2	37.2	35.9	26.9	37.8	29.7	24.0
Currently sexually active and used a condom during last sexual intercourse	50.7	64.8	63.0	61.2	64.7	57.6	49.5
Currently sexually active and used birth control pills to prevent pregnancy before last sexual intercourse	6.8	7.4	11.5	10.0	8.0	8.2	10.4
Had ever been taught about AIDS or HIV infection	87.4	84.5	84.7	85.7	84.0	80.7	82.0

Weight Management and Dietary Behaviors	1999	2001	2003	2005	2007	2009	2011
Percentage of students who . . .							
Described themselves as slightly or very overweight	37.9	38.3	38.5	39.8	39.2	39.1	36.5
Were trying to lose weight	47.0	51.3	50.2	52.3	51.6	54.4	51.3
Went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days	17.4	22.8	15.3	18.5	15.1	15.9	19.0
Took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	12.7	10.4	10.7	7.4	7.5	7.8	5.0
Vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	7.4	8.6	5.6	8.2	7.7	5.4	5.0
Drank 100% fruit juices during the past seven days	85.7	85.0	84.4	82.8	84.0	82.3	84.3
Ate fruit during the past seven days	86.9	88.8	87.4	88.4	87.9	88.4	88.8
Ate green salad during the past seven days	67.9	70.5	66.3	64.0	61.0	62.1	67.5
Ate potatoes during the past seven days	73.1	76.5	69.5	68.9	70.2	69.8	70.1
Ate carrots during the past seven days	52.4	55.2	49.3	46.7	46.7	51.4	48.7
Ate other vegetables during the past seven days	81.5	82.3	76.1	75.9	78.1	76.9	76.4
Drank at least one can, bottle, or glass of soda or pop daily during the past seven days						37.9	86.2
Drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt (not sports drinks such as Gatorade or PowerAde), during the past seven days							45.1
Ate breakfast daily during the past seven days							29.5

Physical Activity	1999	2001	2003	2005	2007	2009	2011
Percentage of students who . . .							
Were physically active for a total of at least 60 minutes per day on five or more of the past seven days				27.2	40.1	41.9	49.1
Watched three or more hours per day of TV on an average school day	38.0	38.1	38.4	36.7	36.3	32.1	32.0
Played video or computer games three or more hours on an average school day					17.5	23.0	27.7
Attended physical education (PE) classes on one or more days in an average week when they were in school	57.4	62.0	63.2	58.7	63.5	61.8	55.8
Attended physical education (PE) classes daily in an average week when they were in school	41.9	32.4	32.9	35.2	43.3	47.8	40.7
Played on one or more sports teams during the past 12 months	59.8	65.1	60.8	66.4	65.4	60.8	66.9

Other	1999	2001	2003	2005	2007	2009	2011
Percentage of students who . . .							
Had ever been told by a doctor or nurse that they had asthma				19.1	19.4	19.7	22.0
Still have asthma					15.0	16.5	13.9